

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

1/24

09627660-04604




Figure 1

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

2/24

09827688-040601




Figure 2A

4/24




Figure 3

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

5/24




Figure 4A

T09040-889/2860

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

6/24





Figure 4B

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

7/24



Serum Dilution

Figure 4C

109070-88922860

APPROVED	O.G. FIG.-	
BY	CLASS	SUBCLASS
DRAFTSMAN		

8/24




Figure 5A

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

9/24




Figure 5B

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

10/24




Figure 6A

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

11/24




Figure 6B

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

12/24




Figure 7A

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

13/24




Figure 7B

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

14/24




Figure 8

15/24





Figure 9

16/24

A.



B.





Figure 10

17/24




Effector:Target Ratio

Figure 11

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

18/24

A.



B.




Figure 12

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

19/24




Figure 13

20/24





Figure 14

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

21/24

A.



B.





Figure 15

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

22/24

A.



B.





Figure 16

00327633-040604

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

23/24

A.



B.





Figure 17

24/24

A.



B.




Figure 18